OTAI SPECIAL STEEL is A2 steel stockholders and suppliers from china. more 16 years experience in AISI A2 tool steel round bar, flat bar and plate supply.

AISI A2 Steel is a high quality Cold work tool steel, It belong to the high quality high carbon alloy tool steel. Oil Quenched & Tempered Hardenss is 28-34 HRc. AISI A2 steel Annealing delivery hardenss less than 250HB. A2 tool steel properties as below:

Related Specifications ASTM A29/A29M DIN EN 10083/3 JIS G4053 GB/T 3077

Form of Supply

AISI A2 tool steel, we can supply the round bar, steel flat bar, plate, hexagonal steel bar and steel square block. AISI A2 steel Round bar can be sawn to your required lengths as one offs or multiple cut pieces. A2 steel Rectangular pieces can be sawn from flat bar or plate to your specific sizes. Ground tool steel bar can be supplied, providing a quality precision finished bar to tight tolerances.

Y					
Round	l	sheet	Square	Plate	
Chemical com	position				
C(%) 0.99 1.09	5∼ 5 Si(%)	0.10~0.5	50 Mn(%)	0.40∼ 1.00 P(%)	≤0.030
S(%) ≤0.	040 Cr(%	á) 4.75∼5.5	50 Mo (%)	0.90∼ 1.40 V(%)	0. 15~ 0. 50

Heat treatment Related

① Forged of A2 Tool steel

Slowly heated the A2 steel material to $650-680^{\circ}$ C ($1202-1256^{\circ}$ F) before raising the temperature to $1050-1100^{\circ}$ C ($1922-2120^{\circ}$ F) and

soak A2 tool steel material until uniformly heated. Initial hammer blows should be light due to the comparatively high hot strength of this steel.

The A2 steel forged temperature should be maintained above 1000° C(1832°F) until the A2 steel metal begins to yield. Final forged should not be done below 900° C(1652°F). Slowly cool after forged is essential to avoid the possibility of cracking.

② Annealing of A2 Tool steel

Slowly heated A2 steel to 850-870 °C (1562-1598°F) and allow enough times, let the steel to be thoroughly heated, Then cool slowly in the furnace at a rate of 4° C (40° F) per hour or less.. The A2 tool steel will get MAX 250 HB (Brinell hardness).

③ Hardening of A2 tool steel

A2 steels should be heated uniformly to $790-820^{\circ}$ C (1436-1508° F) until completely heated through. Then heated to the hardening temperature of $950-980^{\circ}$ C(1742-1796°F), soak at the temperature enough time, let A2 steel to be thoroughly heated.

Then withdraw A2 steel tools from the furnace, either air cool or oil quench.

Tempering of A2 tool steel

Tempering of A2 steels is performed at 150-400° C (302-752° F), Soak well at the selected temperature and soak for at least one hour per 25mm of total thickness. Get Rockwell C hardness of 57 to 62. Others different Heat treatment temperature will get different hardness. Below only for reference.

Temperature [℃]	150	200	250	300	350	400
Hardness [HRc]	62-61	61-60	60-59	59-58	58-57	58-57

Mechanical Properties

The mechanical properties of A2 tool steels are outlined in the following table.

Bulk modulus (typical for steels)	Machinabi lity (based on carbon	Shear modulus	Poisson's ratio		Thermal expansion
GPa		GPa		GPa	20−100°C
140	65%	78	0.27-0.30	190-210	10.7 x 10- 6/°C

Applications

A2 steels are mainly used for slitters, die shapes.

A2 tool steel typical applications include cold forging dies, coining dies, cold heading dies, shear blades, knurling tools and as cutting knives for paper, wood, fibre and resin-bonded aterial, etc.

Regular size and Tolerance

1) Hot Rolled round bar

Diameter (mm)	Diameter Tolerance (mm)	Diameter (mm)	Diameter Tolerance (mm)
≤12.70	-0.13 ~0.30	>50.80~63.5	-0.25~0.76
12.7~25.40	-0.13~0.41	>63.50~76.20	-0.25~1.02
>25.4~38.10	-0.15~0.51	>76.20~101.60	-0.30~+1.27
>38.1~50.80	-0.20~0.64	>101.60~ 203.20	-0.38~3.81

2) Hot Rolled steel plate

Thickness	Thickness Tolerance	Thickness	Thickness Tolerance
(mm)	(mm)	(mm)	(mm)
≤25.4	-0.41~0.79	$>127 \sim 152$	-1.60~2.39
>25.4~76	-0.79~1.19	$>178 \sim 254$	-1.98~3.18
>76~127	-1.19~1.60	$>254 \sim 305$	-2.39~3.96

Others A2 have not specified size, pls<u>contact</u>our experienced sales team.

Processing

AISI A2 tool steel round bar and flat sections can be cut to your required sizes. A2 tool steel ground bar can also be supplied, providing a high quality tool steel precision ground tool steel bar to your required tolerances. AISI A2 steel is also available as Ground Flat Stock / Gauge Plate, in standard and nonstandard sizes.

Contact our experienced sales team to help you with your A2 tool steel questionsadn enquiry by <u>Email</u>or Telphone. The questions will be reply in 24 hours.

OTAI SPECIAL STEEL CO., LTD

Email: jack@otaisteel.com TEL: 0086-769-33232622 FAX: 0086-769-88705839